

IKARPRIM

Solventborne interior alkyd primer



PRODUCT OVERVIEW

Universal primer for a wide variety of substrates Recommended for slightly brittle surface

BENEFITS

Highly penetrating paint
Good sealing properties
Great water repellency

TECHNICAL SPECIFICATIONS

FINISH	flat
DENSITY	1.49 +/- 0,05 Kg/l
SOLIDS BY	Weight : 79 +/- 2% Volume : 60 +/- 2%
VOC	EU limit value for this product (cat. A/g): 450 g/l (2007),. (cat. A/g): 350 g/l (2010). This product contains max 350 g/IVOC
FLASH POINT	23°C to 55°C
AFNOR CLASSIFICATION NFT 36 005	Rating Family I Class 4a
COLOURS	White
CONTAINER SIZE	0.5L - 2.5L - 15L

SURFACE PREPARATION | APPLICATION

As stated by DTU 59.1, all surfaces must be clean, dry and free of dirt.
Old glossy painted surfaces must be previously sanded or washed with an appropriate cleaner and then rinsed with water.
In the presence of contaminants such as mildew, molds or bacteria, apply an anti-fungal treatment named IKAR BACTERICIDE. These recommendations do not override a specific description of the substrate.

Application conditions	DTU 59.1
Application equipment	Brush : Dilution 0 to 5 % Roller : Dilution 0 to 5 %.
Practical coverage	10 to 13 m²/l per coat depending on surface texture.
Thinner / Clean-up solvent	White spirit
Drying time (20°C -65% RH)	Dust free : 1 h Dry : 4 h Recoat : 24 h

IKARPRIM

SYSTEM RECOMMENDATIONS

Substrate	wood and wood joinery, plaster and plaster derivatives, previously painted surfaces in good condition
Primer coat	Apply 1 coat of IKARPRIM
Top coat	Apply 1 or 2 coats of waterborne acrylic or alkyd paint

SAFETY MEASURES

Storage	Can be kept for 1 year in unopened original container. Protect from freezing and high temperatures.
Précaution d emploi	Shake or stir before use. Use in well-ventilated areas. Keep out of reach of children. For personal protection, refer to the Safety Data Sheet (SDS).
Transport	Not subject to ADR regulations (European Agreement concerning the International Carriage of Dangerous Goods by Road).
Gestion des déchets	Close the container tightly after use. Do not dispose of residues in the sewer or with household waste. Please take your empty container to an approved collection center. Contact local authorities for information on disposal and collection procedures.