

# NORWAY

Waterborne interior stain blocking primer



## PRODUCT OVERVIEW

New and renovation work Ideal for a wide range of substrates

## BENEFITS

High hiding power  
Heavy stain blocking properties  
Excellent adhesion  
Microporous

## TECHNICAL SPECIFICATIONS

DENSITY	1.46 +/- 0,05 Kg/l
SOLIDS BY	Weight : 58 +/- 2% Volume : 39 +/- 2%
VOC	EU limit value for this product (cat. A/g): 50 g/l (2007), (cat. A/g): 30 g/l (2010). <b>This product contains max 30 g/l VOC</b>
FLASH POINT	Not applicable
GLOSS LEVEL AT	15 +/- 5% 85°
AFNOR CLASSIFICATION NFT 36 005 FAMILY I CLASS 10G	
COLOURS	White
CONTAINER SIZE	2.5L - 15L

## SURFACE PREPARATION | APPLICATION

As stated by DTU 59.1, all surfaces must be clean, dry and free of dirt.  
For maintenance work, remove peeling paint by brushing, scraping or sanding. Old glossy painted surfaces must be sanded or washed with an appropriate cleaner and then rinsed with water.  
In the presence of contaminants such as mildew, molds or bacteria, apply an anti-fungal treatment named IKAR BACTERICIDE.  
Do not mix with other paints.  
Do not apply on glass fabric, PVC or lime based coating. These recommendations do not override a specific description of the substrate.

<b>Application conditions</b>	DTU 59.1
<b>Application equipment</b>	Brush : Dilution Ready to use Roller : Dilution Ready to use.
<b>Practical coverage</b>	7 to 15 m <sup>2</sup> /l per coat depending on surface texture.
<b>Thinner / Clean-up solvent</b>	Water
<b>Drying time (20°C -65% RH)</b>	Dust free : 30 mn Dry : 2 h Recoat : 24 h for stain blocking

## NORWAY

### SYSTEM RECOMMENDATIONS

<b>Substrate</b>	<b>concrete, mineral coatings, plasterboard, stripped non-ferrous metals, stained surfaces</b>	<b>plaster</b>	<b>previously painted surfaces in good condition, wood and wood joinery</b>
<b>Primer coat</b>	Apply 1 coat of Norway	Apply 1 coat of IKARPRIM	-
<b>Top coat</b>	Apply 1 or 2 coats of a suitable waterborne interior acrylic or alkyd paint		

### SAFETY MEASURES

<b>Storage</b>	Can be kept for 1 year in unopened original container. Protect from freezing and high temperatures.
<b>Précaution d emploi</b>	Shake or stir before use. Use in well-ventilated areas. Keep out of reach of children. For personal protection, refer to the Safety Data Sheet (SDS).
<b>Transport</b>	Not subject to ADR regulations (European Agreement concerning the International Carriage of Dangerous Goods by Road).
<b>Gestion des déchets</b>	Close the container tightly after use. Do not dispose of residues in the sewer or with household waste. Please take your empty container to an approved collection center. Contact local authorities for information on disposal and collection procedures.